



Copyright © 2004 Scientific Committee on Problems of the Environment (SCOPE)

All rights reserved under International and Pan-American Copyright Conventions. No part of this book may be reproduced in any form or by any means without permission in writing from the publisher: Island Press, 1718 Connecticut Ave., NW, Suite 300, Washington, DC 20009

Permission requests to reproduce portions of this book should be addressed to SCOPE (Scientific Committee on Problems of the Environment, 51 Boulevard de Montmorency, 75016 Paris, France).

Inquiries regarding licensing publication rights to this book as a whole should be addressed to Island Press (1718 Connecticut Avenue, NW, Suite 300, Washington, DC 20009, USA).

ISLAND PRESS is a trademark of The Center for Resource Economics.

*Library of Congress Cataloging-in-Publication Data*

The global carbon cycle : integrating humans, climate, and the natural world / edited by Christopher B. Field and Michael R. Raupach.

p. cm. — (SCOPE series)

Includes bibliographical references and index.

ISBN 1-55963-526-6 (cloth : alk. paper) -- ISBN 1-55963-527-4

(pbk. : alk. paper) 1. Atmospheric carbon dioxide. 2. Carbon cycle (Biogeochemistry) 3. Greenhouse gas mitigation. 4. Nature — Effect of human beings on. I. Field, Christopher B. II. Raupach, M. R. III. SCOPE report ; 62

QC879.8.G55 2004

363.738'746 — dc22

2003024792

*British Cataloguing-in-Publication data available.*

Printed on recycled, acid-free paper ♻️

Manufactured in the United States of America  
10 9 8 7 6 5 4 3 2 1

# Contents

<i>List of Colorplates, Figures, Tables, Boxes, and Appendixes</i> . . . . .	.xi
<i>Foreword</i> . . . . .	.xxi
<i>Acknowledgments</i> . . . . .	.xxiii

1. The Global Carbon Cycle: Integrating Humans, Climate, and the Natural World . . . . .	1
Christopher B. Field, Michael R. Raupach, and Reynaldo Victoria	

## Part I: Crosscutting Issues

2. Current Status and Past Trends of the Global Carbon Cycle . . . . .	17
Christopher L. Sabine, Martin Heimann, Paulo Artaxo, Dorothee C. E. Bakker, Chen-Tung Arthur Chen, Christopher B. Field, Nicolas Gruber, Corinne Le Quéré, Ronald G. Prinn, Jeffrey E. Richey, Patricia Romero Lankao, Jayant A. Sathaye, and Riccardo Valentini	
3. The Vulnerability of the Carbon Cycle in the 21st Century: An Assessment of Carbon-Climate-Human Interactions . . . . .	45
Nicolas Gruber, Pierre Friedlingstein, Christopher B. Field, Riccardo Valentini, Martin Heimann, Jeffrey E. Richey, Patricia Romero Lankao, E.-Detlef Schulze, and Chen-Tung Arthur Chen	
4. Scenarios, Targets, Gaps, and Costs . . . . .	77
Jae Edmonds, Fortunat Joos, Nebojsa Nakicenovic, Richard G. Richels, and Jorge L. Sarmiento	

5. A Portfolio of Carbon Management Options .....103  
Ken Caldeira, M. Granger Morgan, Dennis Baldocchi, Peter G.  
Brewer, Chen-Tung Arthur Chen, Gert-Jan Nabuurs, Nebojsa  
Nakicenovic, and G. Philip Robertson

6. Interactions between CO<sub>2</sub> Stabilization Pathways  
and Requirements for a Sustainable Earth System .....131  
Michael R. Raupach, Josep G. Canadell, Dorothee C. E. Bakker,  
Philippe Ciais, Maria José Sanz, JingYun Fang, Jerry M. Melillo,  
Patricia Romero Lankao, Jayant A. Sathaye, E.-Detlef Schulze, Pete  
Smith, and Jeff Tschirley

**Part II: Overview of the Carbon Cycle**

7. A Paleo-Perspective on Changes  
in Atmospheric CO<sub>2</sub> and Climate .....165  
Fortunat Joos and I. Colin Prentice

8. Spatial and Temporal Distribution  
of Sources and Sinks of Carbon Dioxide .....187  
Martin Heimann, Christian Rödenbeck, and Manuel Gloor

9. Non-CO<sub>2</sub> Greenhouse Gases .....205  
Ronald G. Prinn

10. Climate–Carbon Cycle Interactions .....217  
Pierre Friedlingstein

11. Socioeconomic Driving Forces of Emissions Scenarios .....225  
Nebojsa Nakicenovic

**Part III: The Carbon Cycle of the Oceans**

12. Natural Processes Regulating  
the Ocean Uptake of CO<sub>2</sub> .....243  
Corinne Le Quéré and Nicolas Metz

13. Variability and Climate Feedback Mechanisms  
in Ocean Uptake of CO<sub>2</sub> .....257  
Jeffery B. Greenblatt and Jorge L. Sarmiento

## Part IV: The Carbon Cycle of the Land

14. A Primer on the Terrestrial Carbon Cycle:  
What We Don't Know But Should .....279  
Jonathan A. Foley and Navin Ramankutty
15. Geographic and Temporal Variation of Carbon  
Exchange by Ecosystems and Their Sensitivity  
to Environmental Perturbations .....295  
Dennis Baldocchi and Riccardo Valentini
16. Current Consequences of Past Actions:  
How to Separate Direct from Indirect. ....317  
Gert-Jan Nabuurs

## Part V: The Carbon Cycle of Land-Ocean Margins

17. Pathways of Atmospheric CO<sub>2</sub>  
through Fluvial Systems .....329  
Jeffrey E. Richey
18. Exchanges of Carbon in the Coastal Seas .....341  
Chen-Tung Arthur Chen

## Part VI: Humans and the Carbon Cycle

19. Pathways of Regional Development  
and the Carbon Cycle .....355  
Patricia Romero Lankao
20. Social Change and CO<sub>2</sub> Stabilization:  
Moving away from Carbon Cultures .....371  
Louis Lebel
21. Carbon Transport through International Commerce .....383  
Jeff Tschirley and Géraud Servin

## Part VII: Purposeful Carbon Management

22. Near- and Long-Term Climate Change  
Mitigation Potential .....405  
Jayant A. Sathaye

23. Unanticipated Consequences: Thinking about Ancillary Benefits and Costs of Greenhouse Gas Emissions Mitigation .....419  
Jae Edmonds

24. International Policy Framework on Climate Change: Sinks in Recent International Agreements .....431  
Maria José Sanz, Ernst-Detlef Schulze, and Riccardo Valentini

25. A Multi-Gas Approach to Climate Policy .....439  
Alan S. Manne and Richard G. Richels

26. Storage of Carbon Dioxide by Greening the Oceans? .....453  
Dorothee C. E. Bakker

27. Direct Injection of CO<sub>2</sub> in the Ocean .....469  
Peter G. Brewer

28. Engineered Biological Sinks on Land .....479  
Pete Smith

29. Abatement of Nitrous Oxide, Methane, and the Other Non-CO<sub>2</sub> Greenhouse Gases: The Need for a Systems Approach .....493  
G. Philip Robertson

*List of Contributors* .....507

*SCOPE Series List* .....513

*SCOPE Executive Committee* .....517

*Index* .....519

# *List of Colorplates, Figures, Tables, Boxes, and Appendixes*

## Colorplates

*Colorplates follow page XXX.*

1. The current carbon cycle
2. Mean annual net air-sea CO<sub>2</sub> flux for 1995.
3. Total column inventory of anthropogenic CO<sub>2</sub> in the oceans.
4. Characteristics of SRES scenarios.
5. Global primary energy requirements.
6. Anthropogenic CO<sub>2</sub> emissions for fossil fuels and land use change.
7. Interannual variability of anomalous global ocean-atmosphere and land-atmosphere CO<sub>2</sub> fluxes.
8. Total net surface-air CO<sub>2</sub> flux and net non-fossil-fuel surface-air flux; average uncertainty reduction on the prior fluxes.
9. Regional estimates of air-sea CO<sub>2</sub> fluxes.
10. Geographic distribution of the dominant environmental factors governing *NPP*.

## Figures

- 1.1. (a) Schematic representation of the components of the coupled carbon-climate-human system and the links among them; (b) two complementary perspectives on human drivers of carbon emissions 3
- 1.2. Effects of inertia in the coupled carbon-climate-human system 5

- 1.3. The energy gap, showing the growing difference between the emissions projected in a widely used scenario (IS92a) and the emissions required to stabilize the atmospheric CO<sub>2</sub> at 550 ppm 9
- 2.1. The distribution of sources for the world energy system in 2000 21
- 2.2. A summary of the sources, quantities, lifetimes, and consequences of carbon containing non-CO<sub>2</sub> gases in the atmosphere 28
- 2.3. Historical composition of the world energy system, in (a) percent contributions and (b) energy contributions in EJ 36
- 3.1. Cumulative fossil-fuel emissions and their redistribution among the three major reservoirs of the global carbon cycle over the period from 1920 to 2100 as modeled by two Earth system models 47
- 3.2. Vulnerability of the carbon pools in the 21st century 48
- 3.3. Global carbon cycle, its sink potential, and its vulnerability in the 21st century 70
- 4.1. Carbon emissions, 1990–2100 78
- 4.2. Effects of energy intensity improvements on energy demands in SRES illustrative scenarios 80
- 4.3. Range of non-carbon-emitting energy supply in SRES illustrative scenarios 81
- 4.4. Global carbon dioxide emissions in billion tons of carbon (PgC) per year since 1850 to present, plus emissions trajectories for the six SRES illustrative scenarios 82
- 4.5. WRE CO<sub>2</sub> emissions trajectories for five alternative CO<sub>2</sub> concentrations 83
- 4.6. The “gap” for five alternative CO<sub>2</sub> concentrations 84
- 4.7. Comparison of emissions trajectories consistent with various atmospheric CO<sub>2</sub> concentrations 89
- 4.8. Relationship between present discounted costs for stabilizing the concentrations of CO<sub>2</sub> in the atmosphere at alternative levels 89
- 4.9. (a) Allowed carbon emission for the WRE 550 pathway where atmospheric CO<sub>2</sub> is stabilized at 550 ppm as simulated with the Bern CC model;  
(b) Cumulative carbon emissions allowance for the two WRE stabilization pathways leading to stabilization at 450 ppm and 1,000 ppm 92

- 4.10. Impact of a possible collapse of the formation rate of North Atlantic Deep Water (NADW) on the oceanic carbon uptake, and hence the carbon emission allowance to meet a stabilization target 97
- 5.1. Cost of electricity presented as function of CO<sub>2</sub> emissions per unit energy produced 112
- 5.2. Representation of model results for direct injection of carbon into the ocean at three depths under two different boundary conditions 117
- 6.1. Scenarios for directly human-induced C flux, compared with approximate stabilization trajectories 136
- 6.2. Effects of economic, environmental, and social-institutional factors on the mitigation potential of a carbon management strategy 140
- 6.3. Characteristics of the main SRES marker scenario families 152
- 7.1. The evolution of proxies for local temperature in Greenland and Antarctica and the atmospheric concentration of the two greenhouse gases CO<sub>2</sub> and CH<sub>4</sub> over the last glacial-interglacial transition 167
- 7.2. The evolution of atmospheric CO<sub>2</sub> concentration and Greenland and Antarctic temperature, as indicated by  $\delta^{18}\text{O}$ , during the period from 70 ka BP to 20 ka BP 170
- 7.3. Holocene variations in atmospheric CO<sub>2</sub> concentration, from measurements on air entrapped in ice from Taylor Dome, Antarctica, and from Dome Concordia 173
- 7.4. Relationship between Northern Hemisphere (NH) surface temperature change, climate–carbon cycle feedbacks, and variations in atmospheric CO<sub>2</sub> 176
- 8.1. Annual mean atmospheric CO<sub>2</sub> concentration difference between the Mauna Loa and the South Pole stations shown against interhemispheric difference in annual fossil-fuel emissions 192
- 8.2. Annual mean latitudinal land-ocean breakdown of non-fossil-fuel carbon sources as determined in the TRANSCOM inversion intercomparison study of Gurney et al. 2002 194
- 8.3. Time series of surface-atmosphere fluxes integrated over five continental areas and over three oceanic latitudinal bands 198
- 8.4. Time series of anomalous non-fossil-fuel net land-atmosphere flux from the inversion compared with fire counts compiled by the European Space Agency, both aggregated over two continental areas 199



10.1.	Global feedbacks between the carbon cycle and the climate system	219
10.2.	Cumulative carbon budgets for the IPSL and Hadley coupled simulations	221
11.1.	Global carbon emissions: Historical development and scenarios	227
11.2.	Global population projections: Historical development and scenarios	229
11.3.	Global economic development measured by gross world product (GWP) measured at market exchange rates: Historical development and scenarios	231
11.4.	GWP and population growth: Historical development and scenarios	232
11.5.	Global primary energy requirements: Historical development and scenarios	233
11.6.	Primary energy intensity versus GDP per capita measured at market exchange rates: Regional historical developments	234
11.7.	Global decarbonization of primary energy: Historical development and scenarios	235
11.8.	Global decarbonization and decline of energy intensity (1990–2100)	237
12.1.	Sea-air CO <sub>2</sub> flux by latitude band	244
12.2.	Meridional distribution of ocean fCO <sub>2</sub> measured in January 2000 and August 2000 in the southwestern Indian Ocean (OISO cruises)	246
12.3.	Global mean current inventory and potential maximum of anthropogenic carbon for an atmospheric CO <sub>2</sub> concentration of 368 ppm	248
13.1.	Accumulation of CO <sub>2</sub> in the atmosphere and fossil-fuel emissions	259
13.2.	Anomalous sea-air fluxes of CO <sub>2</sub> in the equatorial Pacific	260
13.3.	Marginal airborne fraction vs. CO <sub>2</sub> release	266
14.1.	Relationships between terrestrial, oceanic, and atmospheric carbon pools	280
14.2.	Estimates of the terrestrial carbon balance	286
14.3.	A highly simplified model of the terrestrial carbon cycle	291
15.1.	Relation between carbon content in the top meter of soil and mean annual temperature	296
15.2.	Seasonal variation in net CO <sub>2</sub> exchange of a temperate deciduous forest	298

- 15.3. Impact of length of growing season on NEE of temperate broad-leaved forests 300
- 15.4. Seasonal variation of net CO<sub>2</sub> exchange of temperate, boreal, and alpine conifer forests 301
- 15.5. Seasonal variation of net ecosystem CO<sub>2</sub> exchange of a tropical forest growing in the Amazon near Manaus, Brazil 303
- 15.6. Seasonal variation of NEP of Mediterranean/subtropical woodland ecosystems and the environmental drivers that perturb the carbon fluxes 305
- 15.7. Seasonal variation in net CO<sub>2</sub> exchange of a Mediterranean annual grassland and a temperate continental C<sub>4</sub> grassland 306
- 15.8. Seasonal variation of net CO<sub>2</sub> exchange of an agricultural crop 307
- 15.9. Seasonal variation in net CO<sub>2</sub> exchange of a northern wetland and tundra 309
- 16.1. "An example of net changes in ecosystem carbon stocks over time" 318
- 16.2. Age class distribution of the European forests (140 million ha in 30 countries) in 1990 319
- 16.3. Comparison of the temporal development of the annual flux (positive = sink) in the total system of forest biomass, soils, and products for beech, Norway spruce, and the natural regeneration system 321
- 16.4. Temporal evolution of the net annual flux of carbon (sink = positive) for six global regional case studies 323
- 16.5. A possible approach for separating direct and indirect effects 325
- 17.1. Major reservoirs and pathways of atmospheric CO<sub>2</sub> in fluvial systems 330
- 17.2. Scenarios of the fluxes of carbon through fluvial systems relative to atmospheric CO<sub>2</sub> 337
- 18.1. Schematic diagram for the annual carbon budget (in 10<sup>12</sup> mol PgC y<sup>-1</sup>) for the continental margins of the world 344
- 18.2. Organic carbon cycle in global coastal oceans in its preanthropogenic state 346
- 18.3. Organic carbon balance and net exchange flux of CO<sub>2</sub> across the air-seawater interface for the coastal margin system 348
- 19.1. Share of world's GDP by region (1980–1999) 360
- 19.2. Primary energy consumption by region (1991, 1995, and 2000) 360

19.3.	Carbon dioxide emissions by region (1991, 1995, and 2000)	361
19.4.	Demographic indicators (1993–1998)	361
19.5.	Local governmental revenue and expenditures (1998)	361
19.6.	Number of passenger cars per thousand people (1995)	362
19.7.	Annual net carbon flux to the atmosphere from land use change (1960–1990)	363
19.8.	Urban social indicators (1998)	364
19.9.	Economic indicators (1998)	365
20.1.	A simple conceptual framework for various social structures and processes influencing the global carbon cycle	372
21.1.	Net carbon flow ( $X - M$ ) for all regions (2000)	391
21.2.	Net carbon flow ( $X - M$ ) for North America (1989–2000)	392
21.3.	Net carbon flow ( $X - M$ ) for Europe (1989–2000)	392
21.4.	Net carbon flow ( $X - M$ ) for Asia (1989–2000)	393
22.1.	Actual per capita CO <sub>2</sub> emissions and per capita CO <sub>2</sub> emissions indexed to the ratio of 1971 GDP (1990 US\$1,000 purchasing power parity) to 1971 CO <sub>2</sub> emissions for selected countries	406
22.2.	Projections of (a) GDP losses and (b) marginal cost in Annex B countries in 2010 from global models	412
22.3.	Rate of change in (a) energy intensity, and (b) carbon intensity, historically achieved levels (1860–1990)	414
25.1.	Incremental value of emission rights for (a) carbon, (b) CH <sub>4</sub> , and (c) N <sub>2</sub> O, 2010–2100 (alternative temperature ceilings)	445
25.2.	Prices of a ton of (a) CH <sub>4</sub> and (b) N <sub>2</sub> O relative to carbon (alternative temperature ceilings)	446
25.3.	Prices of a ton of (a) CH <sub>4</sub> and (b) N <sub>2</sub> O relative to carbon (constraint on absolute decadal temperature change)	447
25.4.	Prices of a ton of (a) CH <sub>4</sub> and (b) N <sub>2</sub> O relative to carbon when the objective is balancing costs and benefits	448
26.1.	Seasonally averaged concentrations of nitrate and chlorophyll in oceanic surface waters with contours at 2 $\mu\text{mol l}^{-1}$ and 0.5 $\mu\text{mol l}^{-1}$ intervals, respectively	455

- 26.2. Parameters inside and outside the iron-fertilized waters (or “patch”) in the Southern Ocean Iron RElease Experiment 456–457
- 27.1. The phase behavior of CO<sub>2</sub> in seawater, showing the gas-liquid and hydrate phase boundaries with a typical in situ P-T profile 471
- 27.2. A “frost heave” of CO<sub>2</sub> hydrate on the seafloor at 3,600 m depth resulting from massive hydrate formation 472
- 27.3. A 56 l carbon-fiber-wound CO<sub>2</sub> delivery system installed on ROV Tiburon, showing end cap with gauges, delivery pumps on top, and valves to the left 474
- 27.4. A sketch of a deep-sea CO<sub>2</sub> enrichment experimental site designed to investigate the response of marine organisms to locally elevated CO<sub>2</sub> levels 475
- 27.5. The pH signals recorded at distances of 1 m, 5 m, and 50 m from a CO<sub>2</sub> source placed on the seafloor 475
- 28.1. Relationships between reported carbon sequestration potentials depending on the number and type of constraints considered 481
- 28.2. Illustrative graph showing the possible time course of sink development 485
- 29.1. Estimated climate forcings (globally averaged) between 1750 and 1998 494
- 29.2. Estimated global budgets of the anthropic sources of CH<sub>4</sub> and N<sub>2</sub>O 499
- 29.3. Seasonal CH<sub>4</sub> emission in lowland rice as a function of grain yield 501

## Tables

- 2.1. The global carbon budget 19
- 2.2. Plant carbon, soil carbon, and net primary production in the world’s major biomes 23
- 3.1. Summary of pools and their vulnerability over the next 20 years and over the course of the 21st century 50–51
- 3.2. Summary of marine carbon cycle feedbacks 62
- 4.1. The gap for the six SRES illustrative scenarios for atmospheric CO<sub>2</sub> concentrations ranging from 450 ppm to 750 ppm (PgC/year) 85
- 4.2. The gap for the six SRES illustrative scenarios for atmospheric CO<sub>2</sub> concentrations ranging from 450 ppm to 750 ppm (EJ/year) 85

- 4.3. Allowed carbon emissions for WRE 450 and WRE 750 stabilization pathways 93
- 4.4. Impact of climate feedback on carbon sinks and global warming in the Hadley and IPSL simulations 96
- 5.1. Categorization of mitigation options by timescale to achieve a significant proportion of possible reductions and by potential magnitude of CO<sub>2</sub> equivalent impact on radiative forcing 107
- 5.2. Magnitude of R&D needed driven by CO<sub>2</sub> mitigation needs 108–111
- 5.3. Estimates of storage capacity of geologic reservoirs 116
- 5.4. Potential for non-CO<sub>2</sub> greenhouse gas abatement and biosphere carbon storage 120
- 6.1. Current (1990–1999) global average values for terms in the global carbon budget and the quantities  $P$ ,  $g_e$ ,  $f$ ,  $i$  134
- 6.2. Assessment of positive and negative climate, economic, environmental, and sociocultural impacts associated with mitigation strategies 143
- 6.3a. Scenario drivers taken from the SRES scenarios and total carbon gap from Chapter 4, this volume 154
- 6.3b. Increase in food demand under each scenario 155
- 6.3c. Impacts of scenarios on the pressure on land for food production 155
- 9.1. Chemically reactive greenhouse gases and their precursors: Abundances, trends, budgets, lifetimes, and GWPs 206–207
- 9.2. Current global emissions of non-CO<sub>2</sub> greenhouse gases expressed as equivalent amounts of carbon (Ceq) in CO<sub>2</sub> using GWPs with a 100-year time horizon 208
- 12.1. Estimates of mean ocean CO<sub>2</sub> uptake from various methods and recent time periods 249
- 13.1. Estimates of global ocean CO<sub>2</sub> uptake variability 258
- 13.2. Cumulative ocean uptake of CO<sub>2</sub> due to different climate-induced feedback effects 262
- 13.3. Biological effects on cumulative ocean uptake of CO<sub>2</sub> 265
- 13.4. Studies of THC slowdown under global warming scenarios 269
- 14.1. Estimates of global budget of anthropogenic carbon emissions, as reported by the IPCC Third Assessment Report 281

- 14.2. Global budget of anthropogenic carbon emissions for the 1980s using Houghton (1999) land use emissions estimates 283
- 14.3. Comparison of global budget of anthropogenic carbon emissions for the 1980s 284
- 14.4. Breakdown of the terrestrial carbon budget for the 1980s, based on the CCMLP simulations 287
- 18.1. Fluxes relevant to continental margins 343–344
- 21.1. SITC framework for national export and import 385
- 21.2. Selected agricultural and forest product trade data availability 385
- 21.3. Carbon exports and imports by continent for 2000 387
- 21.4. Volume and value of cereals, paper, and wood products exports by continent for 2000 388
- 21.5. Carbon exports from region to region for 2000 389
- 22.1. Estimates of potential global greenhouse gas emission reductions in 2010 and 2020 408–409
- 22.2. Estimates of potential global greenhouse gas emission reductions in 2010: Land use, land use change, and forestry 410
- 24.1. Major conferences on global climate change 433
- 25.1. Methane emissions, 1990 442
- 25.2. Potential sink enhancement in 2010 at a marginal cost of US\$100 per ton of carbon 443
- 25.3. Anthropogenic nitrous oxide emissions, 1990 444
- 26.1. The amount of added iron (Fe) and the observed drawdown of dissolved inorganic carbon (DIC) in the mixed layer during three iron fertilization experiments 458
- 29.1. Global warming potentials (mass basis) for major greenhouse gases over different time periods 495
- 29.2. Annual fluxes of CH<sub>4</sub> and N<sub>2</sub>O in carbon-equivalent units 496
- 29.3. Sources of greenhouse gas flux in agricultural and forest systems at a U.S. Midwest site 503

## Boxes

- 28.1. Management options to enhance terrestrial carbon sinks 482–483

## Appendixes

- 14.1 Methods of estimating terrestrial carbon fluxes 289
- 14.2 A highly simplified model of terrestrial carbon balance 290
- 21.1 Selected definitions 394
- 21.2 Crop carbon ratios 394
- 21.3 Top importers and exports of cereals, paper products, and wood products, 2000 395
- 21.4 Country groupings 396–397
- 21.5 Export and imports from reporter to partner, 2000 398–399