

Contents

Preface	xi
1 Nodulation in a Taxonomic Context	1
1.1 Caesalpinioideae	3
1.2 Mimosoideae	7
1.2.1 Acaciaeae	8
1.2.2 Ingeae	9
1.2.3 Mimoseae	10
1.3 Papilionoideae	12
1.3.1 Non-nodulation in the Papilionoideae	12
1.3.2 Nodulating papilionoids with primitive nodule structure	15
1.3.3 Tribes with the 50kb inversion	16
1.3.4 The Dalbergioid clade	20
1.3.5 The Mirbelioid clade	20
1.3.6 The Millettoid clade	22
1.3.7 The Robinioid clade	29
1.3.8 The inverted repeat lacking clade (IRLC)	31
2 Global Distribution of Legumes	35
2.1 Deserts	35
2.2 Savannas	37
2.2.1 African savannas	37
2.2.2 Neotropical savannas	39
2.2.3 Australian savannas	39
2.3 Seasonally dry tropical forests (succulent biome)	40
2.3.1 Caatinga	40
2.3.2 Other areas	41
2.4 Rain forests	41
2.4.1 Atlantic forest	41
2.4.2 Temperate rain forests	42
2.4.3 Tropical rain forests	42
2.5 Temperate regions	44
2.5.1 Mediterranean ecosystems	44
2.5.2 Temperate, boreal and high altitude legumes	46
2.6 Invasive legumes	49

3	Evolution of Nodulation	51
3.1	When did nodulation first occur?	51
3.2	Where did nodulation first occur, and where are nodulated legumes going?	55
3.2.1	Madagascar as a special case	56
3.2.2	Recent evolution	58
3.3	How was the information for nodulation acquired?	58
3.3.1	Ancient genes that have been recruited for symbiotic purposes	58
3.3.2	Gene duplication	59
3.4	Why was nodulation necessary?	61
3.5	Model legumes	62
4	Bacteria Nodulating Legumes	65
4.1	α -Proteobacteria	66
4.1.1	<i>Rhizobium</i>	67
4.1.2	<i>Sinorhizobium</i> and <i>Ensifer</i>	68
4.1.3	Other members of Rhizobiaceae	69
4.1.4	<i>Bradyrhizobium</i>	69
4.1.5	<i>Azorhizobium</i> and <i>Devosia</i>	70
4.1.6	<i>Methylobacterium</i>	71
4.1.7	<i>Ochrobactrum</i>	71
4.1.8	<i>Mesorhizobium</i>	71
4.1.9	<i>Phyllobacterium</i>	72
4.2	β -Proteobacteria	73
4.3	Other bacterial nodule occupants	74
4.4	Specificity	75
4.5	Competition	77
4.6	Stability and genetic exchange	78
5	Development and Functioning of Nodules	79
5.1	Root hair infection	80
5.2	The roles of hormones	82
5.3	Autoregulation	83
5.4	Formation of symbiosomes	84
5.4.1	Bacteroid size and shape	84
5.4.2	The role of poly- β -hydroxybutyrate (PHB)	85
5.5	Nodules lacking root hair infection	86
5.5.1	Dalbergioid legumes	86
5.5.2	Genisteae and Crotalariaeae	87
5.5.3	The special case of <i>Sesbania</i>	87
5.6	Other variations in nodule structure	88
5.7	Functioning nodules: the critical role of oxygen	89
5.8	Nitrogen fixation and export of products	89
5.8.1	The hydrogen enigma	90
5.9	Nodule effectiveness	90

5.10 The bacteria within the nodule – control by the bacteria, plant or both?	91
5.11 Constraints on nitrogen fixation in agriculture and the environment	92
5.11.1 Waterlogging, drought and salinity	92
5.11.2 Temperature	93
5.11.3 Edaphic factors	94
5.12 Legumes, pests and pathogens	94
6 Some Legumes for the Future?	97
6.1 Human food	99
6.1.1 <i>Vigna</i> spp.	99
6.1.2 Other phaseoloid legumes	100
6.2 Forage legumes	101
6.3 Pharmaceutical uses	102
6.4 Other uses	102
Appendices	105
I Caesalpinioideae	106
II Mimosoideae	107
III Papilionoideae	116
References	157
Taxonomic Index	179
General Index	182

Color plate section between pages 86 and 87