

Contents

Preface	xi
About the companion website	xiii
Part 1 Process and product	1
1 Physical and biological processes	3
1.1 Introduction	4
1.2 Shelf-edge processes	5
1.2.1 High-level escape of mud from the shelf	5
1.2.2 Currents in submarine canyons	7
1.2.3 Internal waves	9
1.2.4 Sediment slides and mass transport complexes (MTCs)	10
1.3 Deep, thermohaline, clear-water currents	12
1.4 Density currents and sediment gravity flows	16
1.4.1 Classification	17
1.4.2 Transformations between flow types	21
1.5 Turbidity currents and turbidites	23
1.5.1 Definition and equations of flow	23
1.5.2 Natural variations and triggering processes	27
1.5.3 Supercritical flow of turbidity currents	32
1.5.4 Autosuspension in turbidity currents	33
1.5.5 Effects of obstacles in the flow path	33
1.5.6 Turbidites	34
1.5.7 Cross-stratification in turbidites	36
1.5.8 Antidunes in turbidites	37
1.5.9 Turbidites from low-concentration flows	38
1.5.10 Downcurrent grain size – bed thickness trends in turbidites	40
1.5.11 Time scales for turbidite deposition	40
1.6 Concentrated density flows and their deposits	42
1.6.1 Deposits from concentrated density flows	42
1.6.2 Large mud clasts in concentrated density-flow deposits	44
1.7 Inflated sandflows and their deposits	45
1.7.1 Deposits of inflated sandflows	45
1.8 Cohesive flows and their deposits	46
1.8.1 Definitions and equations of flow	46
1.8.2 Turbulence of cohesive flows	48
1.8.3 Competence of cohesive flows	49
1.8.4 Deposits of cohesive flows, including debrites	49
1.8.5 Submarine versus subaerial cohesive flows	52
1.9 Accumulation of biogenic skeletons and organic matter	52
1.9.1 Environmental information from biogenic skeletons	55
2 Sediments (facies)	59
2.1 Introduction	60
2.2 Facies classifications	60
2.2.1 Seismic facies	62
2.2.2 The Pickering <i>et al.</i> classification scheme	62

2.3	Facies Class A: Gravels, muddy gravels, gravelly muds, pebbly sands, $\geq 5\%$ gravel grade	65
2.3.1	Facies Group A1: Disorganised gravels, muddy gravels, gravelly muds and pebbly sands	66
2.3.2	Facies Group A2: Organised gravels and pebbly sands	69
2.4	Facies Class B: Sands, $> 80\%$ sand grade, $< 5\%$ pebble grade	75
2.4.1	Facies Group B1: Disorganised sands	76
2.4.2	Facies Group B2: Organised sands	77
2.5	Facies Class C: Sand–mud couplets and muddy sands, 20–80% sand grade, $< 80\%$ mud grade (mostly silt)	79
2.5.1	Facies Group C1: Disorganised muddy sands	79
2.5.2	Facies Group C2: Organised sand–mud couplets	82
2.6	Facies Class D: Silts, silty muds, and silt–mud couplets, $> 80\%$ mud, $\geq 40\%$ silt, 0–20% sand	85
2.6.1	Facies Group D1: Disorganised silts and silty muds	85
2.6.2	Facies Group D2: Organised silts and muddy silts	87
2.7	Facies Class E: $\geq 95\%$ mud grade, $< 40\%$ silt grade, $< 5\%$ sand and coarser grade, $< 25\%$ biogenics	90
2.7.1	Facies Group E1: Disorganised muds and clays	90
2.7.2	Facies Group E2: Organised muds	94
2.8	Facies Class F: Chaotic deposits	98
2.8.1	Facies Group F1: Exotic clasts	98
2.8.2	Facies Group F2: Contorted/disturbed strata	99
2.9	Facies Class G: Biogenic oozes ($> 75\%$ biogenics), muddy oozes (50–75% biogenics), biogenic muds (25–50% biogenics) and chemogenic sediments, $< 5\%$ terrigenous sand and gravel	102
2.9.1	Facies Group G1: Biogenic oozes and muddy oozes	102
2.9.2	Facies Group G2: Biogenic mud	104
2.10	Injectites (clastic dykes and sills) (Figs 2.46–2.50)	105
2.11	Facies associations	111
3	Deep-water ichnology	112
3.1	Introduction	112
3.2	General principles of ichnology	113
3.2.1	Preservational classification of trace fossils	113
3.2.2	Ethological classification of trace fossils	114
3.2.3	Taxonomic classification of common deep-water trace fossils	115
3.3	Colonisation of SGF deposits: Opportunistic and equilibrium ecology	122
3.4	Ichnofacies	125
3.5	Ichnofabrics	127
3.6	Trace fossils in core	128
3.7	Case study I: Trace fossils as diagnostic indicators of deep-marine environments, Middle Eocene Ainsa–Jaca basins, Spanish Pyrenees	129
3.7.1	Introduction	129
3.7.2	Study area: Ainsa–Jaca basins	129
3.7.3	Trace-fossil distributions	129
3.7.4	Interpretation	129
3.8	Case study II: Subsurface ichnological characterisation of the Middle Eocene Ainsa deep-marine system, Spanish Pyrenees	130
3.8.1	Introduction	130
3.8.2	Trace-fossil distributions and ichnofabrics in the Ainsa System, Ainsa Basin, Spanish Pyrenees	130
3.8.3	Interpretation	132
3.9	Summary of ichnology studies in deep-water systems	134
3.10	Concluding remarks	134
4	Time–space integration	136
4.1	Introduction	136
4.2	Submarine fan growth phases and sequence stratigraphy	144
4.2.1	Early models for fan development and relative base-level change	144
4.2.2	California Borderland submarine fans and base-level change	149
4.2.3	Recent studies of ancient submarine fans and inferred base-level changes	151
4.3	Tectono–thermal/glacio–eustatic controls at evolving passive continental margins	153
4.4	Eustatic sea-level changes at active plate margins	154
4.5	Changing relative base level and sediment delivery processes	160
4.6	Autocyclic processes	164
4.6.1	Autocyclicity in submarine channels	164

4.6.2	Fill-and-spill model for slope basins	167
4.6.3	Autocyclicity in fan deltas	170
4.7	Palaeo-seismicity and the stratigraphic record	171
4.8	Deconvolving tectonic and climatic controls on depositional sequences in tectonically active basins: Case study from the Eocene, Spanish Pyrenees	171
4.9	Problems in determining controls on sediment delivery	183
4.10	Carbonate versus siliciclastic systems	191
4.11	Computer simulations of deep-water stratigraphy	193
4.12	Laboratory simulations of deep-water stratigraphy	193
4.13	Supercritical versus subcritical fans	194
4.14	Hierarchical classification of depositional units	195
4.15	Concluding comments	196
5	Statistical properties of sediment gravity flow (SGF) deposits	200
5.1	Introduction	200
5.2	Cloridorme Formation, Middle Ordovician, Québec	205
5.3	Vertical trends	218
5.3.1	Tests for randomness	223
5.3.2	Correlation tests to identify asymmetric trends	224
5.3.3	Realisation that asymmetric trends can be formed, at low probability, by random processes	227
5.3.4	Asymmetric trends in the grain size of SGF deposits	230
Part 2	Systems	237
6	Sediment drifts and abyssal sediment waves	239
6.1	Introduction	239
6.2	Distribution and character of contourites and sediment drifts, North Atlantic Ocean	241
6.2.1	Broad sheeted drifts	243
6.2.2	Elongate drifts	245
6.2.3	Sediment waves	245
6.2.4	Thin contourite sheets	249
6.2.5	Other abyssal current-generated structures	249
6.3	Facies of muddy and sandy contourites	251
6.4	Seismic facies of contourites	255
6.5	The debate concerning bottom-current reworking of sandy fan sediments	255
6.6	Ancient contourites	257
6.6.1	Talme Yafe Formation	258
6.7	Facies model for sediment drifts	260
7	Submarine fans and related depositional systems: modern	262
7.1	Introduction	262
7.2	Major controls on submarine fans	266
7.2.1	Sediment type	266
7.2.2	Tectonic setting and activity	266
7.2.3	Sea-level fluctuations	267
7.3	Submarine canyons	274
7.3.1	Shifting locus of coarse-grained clastic input	277
7.4	Architectural elements of submarine-fan systems	277
7.4.1	Channels and channel-levée systems	280
7.4.2	Waveforms (sediment waves)	290
7.4.3	Lobes	294
7.4.4	Sheets	298
7.4.5	Scours and megaflutes	299
7.4.6	Mass-transport complexes	302
7.5	The distribution of architectural elements in modern submarine fans	303
7.6	Modern non-fan dispersal systems	303
7.7	Concluding remarks	307
8	Submarine fans and related depositional systems: ancient	309
8.1	Introduction	309

8.2	Ancient submarine canyons	311
8.3	Ancient submarine channels	313
8.3.1	Channel scale, architecture and stacking patterns	313
8.3.2	Channel stacking	329
8.3.3	Case study: Milliners Arm Formation, New World Island, Newfoundland	333
8.3.4	Levées	341
8.3.5	Lateral accretion deposits (LAPs)	347
8.3.6	Post-depositional modification of channel fills	354
8.4	Comparing modern and ancient channels	355
8.5	Ancient lobe, lobe-fringe, fan-fringe and distal basin-floor deposits	357
8.6	Seafloor topography and onlaps	369
8.7	Scours	377
8.8	Basin-floor sheet-like systems	382
8.9	Prodeltaic clastic ramps	387
8.10	Concluding remarks	393

Part 3 Plate tectonics and sedimentation **403**

9	Evolving and mature extensional systems	405
9.1	Introduction	406
9.2	Models for lithospheric extension	408
9.3	Subsidence and deep-water facies of rifts and young passive margins	410
9.4	The post-breakup architecture of passive margins	413
9.4.1	Passive margins outboard of major deltas	415
9.4.2	Passive margins underlain by mobile salt	415
9.4.3	Slope apron of the northwest African margin	416
9.4.4	Passive margins swept by bottom currents	417
9.4.5	Glaciated passive margins	421
9.4.6	Carbonate platforms and ramps	425
9.5	Failed rift systems	428
9.6	Fragments of ancient passive margins	429
9.7	Concluding remarks	430
10	Subduction margins	433
10.1	Introduction	433
10.2	Modern subduction factories	435
10.2.1	Forearcs	435
10.2.2	Trench sedimentation	437
10.2.3	Accretionary prisms	443
10.2.4	Role of seamounts in subduction factory	449
10.2.5	Very oblique convergence and strike-slip in subduction factory	453
10.2.6	Preservation and recognition of trench stratigraphy	459
10.2.7	Forearc basins/slope basins	459
10.2.8	Fluid flow and plumbing in forearc settings	467
10.3	Arc-arc collision zones	474
10.4	Forearc summary model	482
10.5	Marginal/backarc basins	483
10.6	Ancient convergent-margin systems	488
10.7	Forearc/backarc cycles	493
10.8	Concluding remarks	493
11	Foreland basins	497
11.1	Introduction	498
11.2	Modern foreland basins	499
11.2.1	Neogene-Quaternary Taiwan	499
11.2.2	Neogene Quaternary Southern Banda Arc	502
11.3	Ancient deep-marine foreland basins	506
11.3.1	Permo-Triassic Karoo foreland basin, South Africa	507
11.3.2	Oligocene-Miocene foreland basin, Italian Apennines	509

	11.3.3 Lower Palaeozoic foreland basin, Quebec Appalachians	513
	11.3.4 South Pyrenean foreland basin and thrust-top/piggyback basins	515
11.4	Concluding remarks	523
12	Strike-slip continental margin basins	528
12.1	Introduction	528
12.2	Kinematic models for strike-slip basins	529
12.3	Suspect terranes	529
12.4	Depositional models for strike-slip basins	532
12.5	Modern strike-slip mobile zones	537
	12.5.1 Californian continental margin	541
	12.5.2 Gulf of California transtensional ocean basin	555
12.6	Ancient deep-marine oblique-slip mobile zones	557
	12.6.1 Mesozoic Pyrenees	560
	12.6.2 Lower Palaeozoic north central Newfoundland and Britain	562
12.7	Concluding remarks	566
References		573
Index		647