

Contents

Principles and Techniques in Diagnostic Imaging

Techniques based on X-rays

The generation and nature of X-rays, 3
 Interactions of X-rays with matter, 4
 Conventional imaging with X-rays, 6
 Digital radiography, 10
 Computed X-ray tomography, 12
 X-ray contrast enhancing media, 17

Techniques based on nuclear magnetic resonance

Principles of MR scanning, 19
 MR imaging modes and pulse sequences, 29

Techniques based on ultrasound reflection

The generation and nature of ultrasound, 34
 Interactions of ultrasound with matter, 35
 Ultrasound imaging modes, 37
 The Doppler shift and Doppler imaging, 39

Techniques based on radioisotope emissions

Scintigraphy, 41
 Single photon emission computed tomography (SPECT) and positron emission tomography (PET), 42

Principles of nomenclature and positioning, 44

Upper Limb

Shoulder and arm

Shoulder, a-p X-ray, 49
 Shoulder, axial X-ray, 49
 Clavicle, a-p X-ray, 50
 Scapula, oblique X-ray, 50
 Shoulder and arm, a-p X-ray, child one year, 50
 Shoulder and arm, a-p X-ray, child 5 years, 51
 Shoulder and arm, ^{99m}Tc-MDP, scintigraphy, child 12 years, 51
 Shoulder, axial MR series, 52–59
 Shoulder, coronal MR series, 61–65
 Arm, upper third, axial MR, 66
 Arm, middle, axial MR, 66

Elbow

Elbow, a-p X-ray, 67
 Elbow, lateral X-ray, 67
 Elbow, axial MR series, 68–72
 Elbow, sagittal MR, 73–74

Forearm

Forearm, a-p X-ray, 75
 Forearm, a-p X-ray, child 2 years, 76
 Forearm, supinated, middle, axial CT, 77
 Forearm, pronated, middle, axial MR, 77

Wrist and hand

Wrist, dorso-volar X-ray, 78
 Wrist, lateral X-ray, 78
 Wrist and hand, axial CT series, 79–82
 Metacarpus and fingers, axial CT, 82
 Wrist, coronal MR, 83
 Wrist, carpal tunnel, coronal MR, 83
 Hand, left, dorso-volar X-ray, 84
 Skeletal age of hand, 84
 Hand development, male, 85
 Hand development, female, 89
 Hand, senescent, dorso-volar X-ray, 93
 Hand, dorso-volar, ^{99m}Tc-MDP, scintigraphy, child 12 years, 93

Arteries and veins

Shoulder, a-p X-ray, arteriography (digital subtraction), 94
 Forearm, a-p X-ray, arteriography, 94
 Hand, dorso-volar X-ray, arteriography (digital subtraction)
 Radial dominance, 95
 Shoulder, a-p X-ray, phlebography, 96

Lower Limb

Pelvis

Pelvis, female, a-p X-ray, tilted, 99
 Pelvis, male, a-p X-ray, tilted, 99
 Sacro-iliac joints, axial CT (bone settings), 100
 Pelvis, ^{99m}Tc-MDP scintigraphy, 100

Hip and thigh

Hip, a-p X-ray, 101
 Hip, X-ray, Lauenstein projection, 101
 Pelvis, a-p X-ray, child 3 months, 102
 Pelvis, X-ray, child 7 years, 102
 Hip, axial CT, 103
 Hip and male pelvis, axial MR series, 104–112
 Hip and male pelvis, coronal MR series, 113–115
 Hip, child, 3 months, coronal US, 115
 Thigh, axial MR, 116–117

Knee

Knee, a-p X-ray, 118
 Knee, flexed, lateral X-ray, 118
 Knee, half flexed, tilted X-ray (“intercondylar notch projection”), 119
 Knee, flexed, axial X-ray, 119

Patella variation (2%), a-p X-ray, 119
 Knee, flexed, lateral X-ray, old age, 120
 Knee, child 11 years, lateral X-ray, 120
 Knee and leg, newborn, a-p X-ray, 121
 Knee, ^{99m}Tc-MDP, a-p scintigraphy, child 12 years, 121
 Knee, axial MR series, 122–127
 Knee, sagittal MR series, 128–136
 Knee, coronal MR series, 138–141

Leg

Leg, a-p X-ray, 142
 Leg, child 6 years, a-p X-ray, 143
 Leg, a-p X-ray, child 1 year, 144
 Leg, ^{99m}Tc-MDP, scintigraphy, child 12 years, 144
 Leg, middle, axial MR, 145
 Leg, lower fourth, axial MR, 145

Ankle and foot

Ankle, a-p X-ray, 146
 Ankle, lateral X-ray, 146
 Foot, dorso-plantar X-ray, 147
 Foot, lateral X-ray, 148
 Foot, oblique X-ray, 148
 Foot, oblique X-ray, child 3 months, 149
 Foot, dorso-plantar X-ray, child 5 years, 149
 Ankle and foot, axial MR series, 150–162
 Ankle and foot, sagittal MR series, 163–169
 Ankle, coronal MR series, 170–171
 Metatarsus, cross-section MR, 172
 Foot, ^{99m}Tc-MDP, scintigraphy, child 14 years, 172

Arteries and veins

Iliac and femoral arteries, a-p X-ray, arteriography, 173
 Popliteal artery, lateral X-ray, arteriography, 173
 Deep veins of lower limb, slightly rotated, a-p X-ray, 174
 Deep veins of leg, a-p X-ray, rotational series, 175

Lymphatics

Lymphatics of lower limb, a-p X-ray, lymphography, 176

Spine

Cervical spine

Cervical spine, a-p X-ray, 179
 Atlas and axis, a-p X-ray, through open mouth, 179
 Cervical spine, lateral X-ray, 180
 Cervical spine, oblique X-ray, 180
 Atlas and axis, axial CT, 181
 Atlas and axis, coronal CT, 181
 Cervical spine, axial CT, 182
 Cervical spine, median MR, 183
 Cervical spine, para-median MR, 183

Thoracic spine

Thoracic spine, a-p X-ray, 184
 Thoracic spine, lateral X-ray, 185
 Thoracic spine, axial CT, 186

Lumbar spine

Lumbar spine, a-p X-ray, 187
 Lumbar spine, lateral X-ray, 188
 Lumbar spine, oblique X-ray, 189
 Sacrum, lateral X-ray, 189
 Lumbar spine, axial CT series, 190–191
 Lumbar spine, sagittal MR series, 192–194
 Lumbar spine, coronal MR series, 195
 Lumbar spine, L5/S1, tilted axial MR, 196
 Thoracic spine, axial CT, myelography, 198
 Lumbar spine, axial CT, myelography, 198
 Thoracolumbar spine, lateral X-ray, newborn, 199
 Thoracolumbar spine, lateral X-ray, child 12 years, 199
 Thoracolumbar spine, lateral X-ray, old age, 200

Head

Skull

Skull, a-p X-ray, 203
 Skull, lateral X-ray, 203
 Skull, X-ray, Towne's projection, 204
 Skull, lateral X-ray, old age, 204
 Skull, a-p, tilted X-ray, child 5 months, 205
 Skull, lateral X-ray, child 5 months, 205
 Skull, lateral and posterior view, ^{99m}Tc-MDP, scintigraphy, 206
 Base of skull, axial CT, 206
 Skull, axial CT series, 207–212
 Head, coronal CT series, 213–218

Ear

Petrous bone, CT series, diagrammatic scout view, 219
 Axial CT series, 219–223

Orbit

Lacrimal ducts, a-p X-ray, dacryography, 224
 Eye, axial US, 224
 Orbit, axial MR series, 225–228
 Orbit, coronal MR, 229

Paranasal sinuses

Paranasal sinuses, a-p X-ray, 230
 Paranasal sinuses, a-p, tilted X-ray, 230
 Paranasal sinuses, coronal CT series, 231–234

Temporomandibular joint

Temporomandibular joint, oblique X-ray, transmaxillary, 235
 Temporomandibular joint, oblique X-ray, 235
 Temporomandibular joint, lateral X-ray, tomography, 236
 Temporomandibular joint, coronal CT (bone settings), 236

Teeth

Teeth, adult, rotational panoramic X-ray, 237
 Teeth, child 5 years, rotational panoramic X-ray, 238
 Teeth, full mouth survey, X-ray, 239
 Tooth, first premolar, X-ray, 240

Salivary glands

Parotid gland, oblique X-ray, sialography, 241
 Submandibular gland, lateral X-ray, sialography, 241

Arteries

Carotid arteries, lateral X-ray, arteriography, 242
Carotid arteries, lateral X-ray, digital subtraction arteriography, 242

Brain

Brain, axial CT series, 245–254
Brain, axial MR series, 255–275
Brain, coronal MR series, 276–304
Brain, sagittal MR series, 305–315

Arteries and veins

Brain arteries, MR angiography, circle of Willis, 316–319
Internal carotid artery, a-p X-ray, arteriography, 320
Cerebral veins, a-p X-ray, venous phase of arteriography (digital subtraction), 320
Internal carotid artery, lateral X-ray, arteriography, 321
Cerebral veins, lateral X-ray, venous phase of arteriography (digital subtraction), 321
Vertebral artery, a-p X-ray, arteriography, 322
Cerebral veins, a-p X-ray, venous phase of arteriography (digital subtraction), 322
Vertebral artery, lateral X-ray, arteriography, 323
Cerebral veins, lateral X-ray, venous phase of arteriography (digital subtraction), 323
Brain, arteries, CT angiography series, 324–326
Brain, child, CT angiography, 324

Newborn

Brain, newborn, US, 326–329

Neck

Larynx

Larynx, a-p X-ray, 333
Larynx, lateral X-ray, 333

Pharynx

Pharynx, a-p X-ray, barium swallow, 334
Pharynx, lateral X-ray, barium swallow, 334

Axial CT series

Neck, axial CT series, 335–343
Thyrocervical trunk, X-ray, arteriography, 343

Thyroid gland

Thyroid gland, transverse section, US, 344
Thyroid gland, anterior view, ¹³¹I-scintigraphy, 344

Thorax

Thoracic cage

Sternum, oblique X-ray, 347
Thoracic cage, a-p X-ray, 347
Thorax, ^{99m}Tc-MDP, scintigraphy, 348
Thorax, a-p X-ray, child 1 month, 348
Thorax, p-a X-ray, deep inspiration, 349
Lungs, ¹³³Xe inhalation, scintigraphy, 349
Thorax, lateral X-ray, 350
Thorax of old age, lateral X-ray, 350

Axial CT series

Thorax, axial CT series, 351–383

Heart and great vessels

Heart, axial MR, 384
Heart, coronal MR, 385
Aortic arch and great arteries, a-p X-ray (slightly oblique), aortography, 386
Aortic arch and great arteries, oblique X-ray, aortography, 386
Heart, a-p, cardiac cineangiography, child, 387
Heart, lateral, cardiac cineangiography, child, 388
Pulmonary arteries, a-p X-ray, arteriography, 389
Pulmonary arteries, lateral X-ray, arteriography, 389
Left ventricle, lateral X-rays, cardiac angiography, 390
Left coronary artery, arteriography, 391
Right coronary artery, arteriography, 392
Mitral and aortic valve, parasternal, long axis sections, US, 393
Right and left ventricle, parasternal, short axis sections, US, 394
Mitral valve, parasternal, short axis section, US, 395
Aortic valve, parasternal, short axis section, US, 395
Cardiac four chambers, probe over apex, US, 395

Esophagus

Esophagus, a-p X-ray, barium swallow, 396
Esophagus, lateral X-ray, barium swallow, 396

Breast

Breast, young, oblique X-ray, mammography, 397
Breast, middle-age, oblique X-ray, mammography, 397
Breast, senescent, oblique X-ray, mammography, 398
Breast, lateral X-ray, ductography, 398

Thoracic duct

Thoracic duct, a-p X-ray lymphography, 399

Abdomen

Axial CT series

Abdomen, a-p X-ray, erect, 403
Abdomen, axial CT series, 404–415
Male pelvis, axial CT series, 416–419
Female pelvis, axial CT series, 420–424

Stomach

Stomach and duodenum, oblique X-ray, barium meal, double contrast, 425
Stomach and duodenum, lateral X-ray, barium meal, double contrast, 425

Small intestine

Duodenum, a-p X-ray, barium meal, double contrast, 426
Jejunum and ileum, a-p X-ray, barium meal, 426

Colon and rectum

Colon, a-p X-ray, barium enema, single contrast, 427
Colon, a-p X-ray, double contrast, 427
Rectum, a-p X-ray, double contrast, 428
Rectum, lateral X-ray, double contrast, 428

Liver and pancreas

Biliary tract, a-p X-ray, endoscopic retrograde cholangio-pancreatography (ERCP), 429
 Biliary tract, ^{99m}Tc-HIDA, scintigraphy, anterior view, 430
 Gall bladder, subcostal sagittal section, US, 431
 Liver, subcostal, tilted transverse section, US, 431
 Upper abdomen, midline sagittal section, US, 432
 Upper abdomen, transverse section, US, 432
 Pancreatic ducts, a-p X-ray, endoscopic retrograde pancreatography, 434
 Upper abdomen with pancreas, axial MR, 434

Spleen

Spleen and liver, a-p X-ray, spleno-portography, 435
 Spleen, transverse intercostal section, US, 435

Arteries and veins

Abdominal aorta, sagittal section, US, 436
 Abdominal aorta, a-p X-ray, aortography, 436
 Celiac trunk, a-p X-ray, arteriography, 437
 Portal vein, a-p X-ray, venous phase of celiac arteriography, 437
 Superior mesenteric artery, a-p X-ray, arteriography, 438
 Inferior mesenteric artery, a-p X-ray, arteriography, 438
 Celiac trunk and superior mesenteric artery, variation (15%), a-p X-ray, arteriography, 439
 Superior mesenteric vein, a-p X-ray, transhepatic phlebography, 440
 Inferior caval vein, a-p X-ray, phlebography, 440

Lymphatics

Lumbar lymph system, a-p X-ray, lymphography, first day, 441
 Lumbar lymph nodes, a-p X-ray, lymphography, second day, 441
 Lumbar lymph nodes, lateral X-ray, lymphography (second day), and intravenous urography, 442
 Lumbar lymph nodes, axial CT, after lymphography and peroral contrast, 442

Urogenital system

Kidney

Urinary tract, a-p X-ray, i.v. urography, 445
 Renal artery, a-p X-ray, arteriography, 445
 Kidneys, axial CT, after intravenous and peroral contrast, 446
 Kidneys, coronal MR, T1 weighted recording, 446
 Kidney, longitudinal section, US, 447
 Kidneys, ^{99m}Tc-hippuran, scintigraphy (renography), posterior view, 447

Urinary bladder and urethra

Urinary bladder, male, a-p, tilted X-ray, i.v. urography, 448
 Urinary bladder, female, a-p, tilted X-ray, i.v. urography, 448
 Urethra, male, oblique X-ray, urethrography, 449
 Urethra, female, lateral X-ray, kolpo-cysto-urethrography (KCU), micturating, 449

Male genital organs

Male pelvis, median MR, 450
 Male pelvis, axial MR, 450
 Male pelvis, coronal MR, 451
 Penis and scrotum, coronal MR, 451
 Penis, a-p X-ray, cavernosography, 452
 Penis, lateral X-ray, cavernosography, 452
 Testis, cross-section, US, 453
 Prostate, transverse section, US, 453
 Penis, cross-section, US, 454

Female genital organs/embryo

Uterus, a-p X-ray, hysterosalpingography (HSG), 455
 Female pelvis, median MR, 455
 Uterus, sagittal section, US, 456
 Uterus, cross-section of uterine fundus, US, 456
 Uterus, pregnant, sagittal section, US, 456
 Ovary, US, 457
 Embryo, gestational age (GA): 3w6d, 457
 Embryo, GA: 7w6d, crown-rump length (CRL): 15 mm, 458
 Embryo, GA: 8w2d, 458

Fetus

GA: 9w4d, CRL: 23 mm, 459
 GA: 10w5d, CRL: 40 mm, 459
 GA: 11w4d, head transverse, 459
 GA: 12w3d, neck, nuchal translucency, sagittal, 460
 GA: 14w5d, head, sagittal, 460
 GA: 14w5d, brain, transverse, 460
 GA: 14w6d, thorax, transverse, 461
 GA: 15w0d, spine, frontal, 461
 GA: 15w0d, spine, mid-sagittal, 461
 GA: 15w2d, four chamber view of heart, 462
 GA: 15w2d, aortic arch, 462
 GA: 15w2d, upper abdomen, transverse, 462
 GA: 15w2d, spine, frontal, 463
 GA: 15w0d, male sex, 463
 GA: 14w3d, leg, 463
 Fetus, dichorionic twins, 464
 GA: 19w1d, brain, transverse, 464
 GA: 19w6d, brain, transverse, "Cerebellar view", 464
 GA: 22w0d, brain and eyes, transverse, "Thalamic view", 465
 GA: 21w1d, face, sagittal, 465
 GA: 21w1d, face, frontal, 465
 GA: 20w3d, lips, frontal, 466
 GA: 19w0d, spine, sagittal, 466
 GA: 19w4d, trunk, transverse, 466
 GA: 21w0d, heart and great vessels, oblique, 467
 GA: 19w5d, heart, "four chamber view", 467
 GA: 21w4d, thorax and great vessels, transverse, 468
 GA: 21w1d, heart and ductus arteriosus, 468
 GA: 21w1d, umbilical vein, 469
 GA: 19w0d, kidneys, frontal, 469
 GA: 19w0d, kidney arteries, frontal, 469

GA: 19w6d, urinary bladder and umbilical arteries, 470
GA: 21w1d, abdomen, frontal, 470
GA: 21w1d, umbilicus, 470
GA: 18w6d, femur length (FL), ossified shaft: 30 mm, 471
GA: 22w2d, foot, 471
GA: 19w6d, forearm, 471
GA: 16w0d, hand, 472
GA: 23w0d, 3D imaging, 472

Fetus, 18 weeks, CRL = 140 mm, stillborn, a-p X-ray, 473
Fetus, 18 weeks, CRL = 140 mm, stillborn, lateral X-ray, 474

**Short Dictionary of Examination Procedures
and Concepts in Diagnostic Imaging, 475**

Index, 483

Patella variation (2%), a-p X-ray, 119
 Knee, flexed, lateral X-ray, old age, 120
 Knee, child 11 years, lateral X-ray, 120
 Knee and leg, newborn, a-p X-ray, 121
 Knee, ^{99m}Tc-MDP, a-p scintigraphy, child 12 years, 121
 Knee, axial MR series, 122–127
 Knee, sagittal MR series, 128–136
 Knee, coronal MR series, 138–141

Leg

Leg, a-p X-ray, 142
 Leg, child 6 years, a-p X-ray, 143
 Leg, a-p X-ray, child 1 year, 144
 Leg, ^{99m}Tc-MDP, scintigraphy, child 12 years, 144
 Leg, middle, axial MR, 145
 Leg, lower fourth, axial MR, 145

Ankle and foot

Ankle, a-p X-ray, 146
 Ankle, lateral X-ray, 146
 Foot, dorso-plantar X-ray, 147
 Foot, lateral X-ray, 148
 Foot, oblique X-ray, 148
 Foot, oblique X-ray, child 3 months, 149
 Foot, dorso-plantar X-ray, child 5 years, 149
 Ankle and foot, axial MR series, 150–162
 Ankle and foot, sagittal MR series, 163–169
 Ankle, coronal MR series, 170–171
 Metatarsus, cross-section MR, 172
 Foot, ^{99m}Tc-MDP, scintigraphy, child 14 years, 172

Arteries and veins

Iliac and femoral arteries, a-p X-ray, arteriography, 173
 Popliteal artery, lateral X-ray, arteriography, 173
 Deep veins of lower limb, slightly rotated, a-p X-ray, 174
 Deep veins of leg, a-p X-ray, rotational series, 175

Lymphatics

Lymphatics of lower limb, a-p X-ray, lymphography, 176

Spine

Cervical spine

Cervical spine, a-p X-ray, 179
 Atlas and axis, a-p X-ray, through open mouth, 179
 Cervical spine, lateral X-ray, 180
 Cervical spine, oblique X-ray, 180
 Atlas and axis, axial CT, 181
 Atlas and axis, coronal CT, 181
 Cervical spine, axial CT, 182
 Cervical spine, median MR, 183
 Cervical spine, para-median MR, 183

Thoracic spine

Thoracic spine, a-p X-ray, 184
 Thoracic spine, lateral X-ray, 185
 Thoracic spine, axial CT, 186

Lumbar spine

Lumbar spine, a-p X-ray, 187
 Lumbar spine, lateral X-ray, 188
 Lumbar spine, oblique X-ray, 189
 Sacrum, lateral X-ray, 189
 Lumbar spine, axial CT series, 190–191
 Lumbar spine, sagittal MR series, 192–194
 Lumbar spine, coronal MR series, 195
 Lumbar spine, L5/S1, tilted axial MR, 196
 Thoracic spine, axial CT, myelography, 198
 Lumbar spine, axial CT, myelography, 198
 Thoracolumbar spine, lateral X-ray, newborn, 199
 Thoracolumbar spine, lateral X-ray, child 12 years, 199
 Thoracolumbar spine, lateral X-ray, old age, 200

Head

Skull

Skull, a-p X-ray, 203
 Skull, lateral X-ray, 203
 Skull, X-ray, Towne's projection, 204
 Skull, lateral X-ray, old age, 204
 Skull, a-p, tilted X-ray, child 5 months, 205
 Skull, lateral X-ray, child 5 months, 205
 Skull, lateral and posterior view, ^{99m}Tc-MDP, scintigraphy, 206
 Base of skull, axial CT, 206
 Skull, axial CT series, 207–212
 Head, coronal CT series, 213–218

Ear

Petrous bone, CT series, diagrammatic scout view, 219
 Axial CT series, 219–223

Orbit

Lacrimal ducts, a-p X-ray, dacryography, 224
 Eye, axial US, 224
 Orbit, axial MR series, 225–228
 Orbit, coronal MR, 229

Paranasal sinuses

Paranasal sinuses, a-p X-ray, 230
 Paranasal sinuses, a-p, tilted X-ray, 230
 Paranasal sinuses, coronal CT series, 231–234

Temporomandibular joint

Temporomandibular joint, oblique X-ray, transmaxillary, 235
 Temporomandibular joint, oblique X-ray, 235
 Temporomandibular joint, lateral X-ray, tomography, 236
 Temporomandibular joint, coronal CT (bone settings), 236

Teeth

Teeth, adult, rotational panoramic X-ray, 237
 Teeth, child 5 years, rotational panoramic X-ray, 238
 Teeth, full mouth survey, X-ray, 239
 Tooth, first premolar, X-ray, 240

Salivary glands

Parotid gland, oblique X-ray, sialography, 241
 Submandibular gland, lateral X-ray, sialography, 241

Arteries

Carotid arteries, lateral X-ray, arteriography, 242
Carotid arteries, lateral X-ray, digital subtraction arteriography, 242

Brain

Brain, axial CT series, 245–254
Brain, axial MR series, 255–275
Brain, coronal MR series, 276–304
Brain, sagittal MR series, 305–315

Arteries and veins

Brain arteries, MR angiography, circle of Willis, 316–319
Internal carotid artery, a-p X-ray, arteriography, 320
Cerebral veins, a-p X-ray, venous phase of arteriography (digital subtraction), 320
Internal carotid artery, lateral X-ray, arteriography, 321
Cerebral veins, lateral X-ray, venous phase of arteriography (digital subtraction), 321
Vertebral artery, a-p X-ray, arteriography, 322
Cerebral veins, a-p X-ray, venous phase of arteriography (digital subtraction), 322
Vertebral artery, lateral X-ray, arteriography, 323
Cerebral veins, lateral X-ray, venous phase of arteriography (digital subtraction), 323
Brain, arteries, CT angiography series, 324–326
Brain, child, CT angiography, 324

Newborn

Brain, newborn, US, 326–329

Neck

Larynx

Larynx, a-p X-ray, 333
Larynx, lateral X-ray, 333

Pharynx

Pharynx, a-p X-ray, barium swallow, 334
Pharynx, lateral X-ray, barium swallow, 334

Axial CT series

Neck, axial CT series, 335–343
Thyrocervical trunk, X-ray, arteriography, 343

Thyroid gland

Thyroid gland, transverse section, US, 344
Thyroid gland, anterior view, ¹³¹I-scintigraphy, 344

Thorax

Thoracic cage

Sternum, oblique X-ray, 347
Thoracic cage, a-p X-ray, 347
Thorax, ^{99m}Tc-MDP, scintigraphy, 348
Thorax, a-p X-ray, child 1 month, 348
Thorax, p-a X-ray, deep inspiration, 349
Lungs, ¹³³Xe inhalation, scintigraphy, 349
Thorax, lateral X-ray, 350
Thorax of old age, lateral X-ray, 350

Axial CT series

Thorax, axial CT series, 351–383

Heart and great vessels

Heart, axial MR, 384
Heart, coronal MR, 385
Aortic arch and great arteries, a-p X-ray (slightly oblique), aortography, 386
Aortic arch and great arteries, oblique X-ray, aortography, 386
Heart, a-p, cardiac cineangiography, child, 387
Heart, lateral, cardiac cineangiography, child, 388
Pulmonary arteries, a-p X-ray, arteriography, 389
Pulmonary arteries, lateral X-ray, arteriography, 389
Left ventricle, lateral X-rays, cardiac angiography, 390
Left coronary artery, arteriography, 391
Right coronary artery, arteriography, 392
Mitral and aortic valve, parasternal, long axis sections, US, 393
Right and left ventricle, parasternal, short axis sections, US, 394
Mitral valve, parasternal, short axis section, US, 395
Aortic valve, parasternal, short axis section, US, 395
Cardiac four chambers, probe over apex, US, 395

Esophagus

Esophagus, a-p X-ray, barium swallow, 396
Esophagus, lateral X-ray, barium swallow, 396

Breast

Breast, young, oblique X-ray, mammography, 397
Breast, middle-age, oblique X-ray, mammography, 397
Breast, senescent, oblique X-ray, mammography, 398
Breast, lateral X-ray, ductography, 398

Thoracic duct

Thoracic duct, a-p X-ray lymphography, 399

Abdomen

Axial CT series

Abdomen, a-p X-ray, erect, 403
Abdomen, axial CT series, 404–415
Male pelvis, axial CT series, 416–419
Female pelvis, axial CT series, 420–424

Stomach

Stomach and duodenum, oblique X-ray, barium meal, double contrast, 425
Stomach and duodenum, lateral X-ray, barium meal, double contrast, 425

Small intestine

Duodenum, a-p X-ray, barium meal, double contrast, 426
Jejunum and ileum, a-p X-ray, barium meal, 426

Colon and rectum

Colon, a-p X-ray, barium enema, single contrast, 427
Colon, a-p X-ray, double contrast, 427
Rectum, a-p X-ray, double contrast, 428
Rectum, lateral X-ray, double contrast, 428

Liver and pancreas

Biliary tract, a-p X-ray, endoscopic retrograde cholangio-pancreatography (ERCP), 429
 Biliary tract, ^{99m}Tc-HIDA, scintigraphy, anterior view, 430
 Gall bladder, subcostal sagittal section, US, 431
 Liver, subcostal, tilted transverse section, US, 431
 Upper abdomen, midline sagittal section, US, 432
 Upper abdomen, transverse section, US, 432
 Pancreatic ducts, a-p X-ray, endoscopic retrograde pancreatography, 434
 Upper abdomen with pancreas, axial MR, 434

Spleen

Spleen and liver, a-p X-ray, spleno-portography, 435
 Spleen, transverse intercostal section, US, 435

Arteries and veins

Abdominal aorta, sagittal section, US, 436
 Abdominal aorta, a-p X-ray, aortography, 436
 Celiac trunk, a-p X-ray, arteriography, 437
 Portal vein, a-p X-ray, venous phase of celiac arteriography, 437
 Superior mesenteric artery, a-p X-ray, arteriography, 438
 Inferior mesenteric artery, a-p X-ray, arteriography, 438
 Celiac trunk and superior mesenteric artery, variation (15%), a-p X-ray, arteriography, 439
 Superior mesenteric vein, a-p X-ray, transhepatic phlebography, 440
 Inferior caval vein, a-p X-ray, phlebography, 440

Lymphatics

Lumbar lymph system, a-p X-ray, lymphography, first day, 441
 Lumbar lymph nodes, a-p X-ray, lymphography, second day, 441
 Lumbar lymph nodes, lateral X-ray, lymphography (second day), and intravenous urography, 442
 Lumbar lymph nodes, axial CT, after lymphography and peroral contrast, 442

Urogenital system

Kidney

Urinary tract, a-p X-ray, i.v. urography, 445
 Renal artery, a-p X-ray, arteriography, 445
 Kidneys, axial CT, after intravenous and peroral contrast, 446
 Kidneys, coronal MR, T1 weighted recording, 446
 Kidney, longitudinal section, US, 447
 Kidneys, ^{99m}Tc-hippuran, scintigraphy (renography), posterior view, 447

Urinary bladder and urethra

Urinary bladder, male, a-p, tilted X-ray, i.v. urography, 448
 Urinary bladder, female, a-p, tilted X-ray, i.v. urography, 448
 Urethra, male, oblique X-ray, urethrography, 449
 Urethra, female, lateral X-ray, kolpo-cysto-urethrography (KCU), micturating, 449

Male genital organs

Male pelvis, median MR, 450
 Male pelvis, axial MR, 450
 Male pelvis, coronal MR, 451
 Penis and scrotum, coronal MR, 451
 Penis, a-p X-ray, cavernosography, 452
 Penis, lateral X-ray, cavernosography, 452
 Testis, cross-section, US, 453
 Prostate, transverse section, US, 453
 Penis, cross-section, US, 454

Female genital organs/embryo

Uterus, a-p X-ray, hysterosalpingography (HSG), 455
 Female pelvis, median MR, 455
 Uterus, sagittal section, US, 456
 Uterus, cross-section of uterine fundus, US, 456
 Uterus, pregnant, sagittal section, US, 456
 Ovary, US, 457
 Embryo, gestational age (GA): 3w6d, 457
 Embryo, GA: 7w6d, crown-rump length (CRL): 15 mm, 458
 Embryo, GA: 8w2d, 458

Fetus

GA: 9w4d, CRL: 23 mm, 459
 GA: 10w5d, CRL: 40 mm, 459
 GA: 11w4d, head transverse, 459
 GA: 12w3d, neck, nuchal translucency, sagittal, 460
 GA: 14w5d, head, sagittal, 460
 GA: 14w5d, brain, transverse, 460
 GA: 14w6d, thorax, transverse, 461
 GA: 15w0d, spine, frontal, 461
 GA: 15w0d, spine, mid-sagittal, 461
 GA: 15w2d, four chamber view of heart, 462
 GA: 15w2d, aortic arch, 462
 GA: 15w2d, upper abdomen, transverse, 462
 GA: 15w2d, spine, frontal, 463
 GA: 15w0d, male sex, 463
 GA: 14w3d, leg, 463
 Fetus, dichorionic twins, 464
 GA: 19w1d, brain, transverse, 464
 GA: 19w6d, brain, transverse, "Cerebellar view", 464
 GA: 22w0d, brain and eyes, transverse, "Thalamic view", 465
 GA: 21w1d, face, sagittal, 465
 GA: 21w1d, face, frontal, 465
 GA: 20w3d, lips, frontal, 466
 GA: 19w0d, spine, sagittal, 466
 GA: 19w4d, trunk, transverse, 466
 GA: 21w0d, heart and great vessels, oblique, 467
 GA: 19w5d, heart, "four chamber view", 467
 GA: 21w4d, thorax and great vessels, transverse, 468
 GA: 21w1d, heart and ductus arteriosus, 468
 GA: 21w1d, umbilical vein, 469
 GA: 19w0d, kidneys, frontal, 469
 GA: 19w0d, kidney arteries, frontal, 469

GA: 19w6d, urinary bladder and umbilical arteries, 470
GA: 21w1d, abdomen, frontal, 470
GA: 21w1d, umbilicus, 470
GA: 18w6d, femur length (FL), ossified shaft: 30 mm, 471
GA: 22w2d, foot, 471
GA: 19w6d, forearm, 471
GA: 16w0d, hand, 472
GA: 23w0d, 3D imaging, 472

Fetus, 18 weeks, CRL = 140 mm, stillborn, a-p X-ray, 473
Fetus, 18 weeks, CRL = 140 mm, stillborn, lateral X-ray, 474

Short Dictionary of Examination Procedures and Concepts in Diagnostic Imaging, 475

Index, 483